FENSTERCRAFT ALUMINIUM

ALUMINIUM SYSTEMS



Sports Direct central office
London, UK

SCHÜCO

Reynaers Aluminium

CORTIZO

TABLE OF CONTENTS

Windows (Reynaers SlimLine 38) 4
Windows (Reynaers SlimLine 68) 5
Windows (Reynaers MasterLine 8) 6
Windows (Schüco AWS 75 SI) 7

Doors (Reynaers SlimLine 38) 9
Doors (Reynaers MasterLine 8) 10
Doors (Schüco AD UP 75) 11

Pivot Doors (Reynaers MasterLine 8) 13

Panel Doors (Reynaers MasterLine 8) 15

Sliding Doors (Reynaers HiFinity) 17
Sliding Doors (Reynaers HiFinity Magnetic Slider) 18
Sliding Doors (Reynaers MasterPatio) 19
Sliding Doors (Reynaers Comfort Motorisation) 20
Sliding Doors (Schüco ASE 80.HI) 21
Sliding Doors (Schüco AS PD 75.HI Performance Line) 22
Sliding Doors (Schüco AS PD 75.HI Design Line) 23
Sliding Doors (Cortizo Cor Vision Plus) 24
Sliding Doors (Cortizo Vision Evolution Sliding) 25
Folding Doors (Reynaers CF68 and CF77) 27
Folding Doors (Schüco Folding Sliding System AS FD 75/90.HI) 28

Façade systems (Reynaers SlimWall 35) 30
Façade systems (Reynaers ConceptWall 50 HI) 31
Façade systems (Schüco FWS 50) 32
Façade systems (Schüco Seamless) 33
Façade systems (Schüco FWS 35 PD) 34

Colors and finishes 36
PAS 24 37



FENSTERCRAFT
ALUMINIUM

WINDOWS

SCHÜCO

Reynaers
Aluminium

WINDOWS:

Reynaers SlimLine 38

Reynaers SlimLine 38 General and
High Insulation +




Ultra-slim, bright and elegant design

If you are looking for slender high-performance windows that let in lots of natural daylight, you might want to consider SlimLine 38 by Reynaers Aluminium for your next project.

SlimLine 38 Windows General

Possible vent sizes (mm)



*Max dimensions depend on multiple parameters including wind load requirements and glass type choice.

Max. vent weights (kg)



Tilt-turn	Turn	Fixed	Balcony
170	170	300	130

Visible dimensions (mm)

Inward opening SlimLine 38 Classic window


1	Min. frame width	33
2	Min. vent width	23
3	Frame depth	99
4	Vent depth	86
5	Glass thickness	Up to 55



SlimLine 38 High Insulation +



Possible vent sizes (mm)



*Max dimensions and weights depend on multiple parameters including wind load requirements and glass type choice.

Maximum vent weights (kg)



Fixed	Turn	Tilt-turn
280	170	170

Learn more

Do you want to know more about this high insulation solution? Scan the QR code to visit our website, where you will find more product details and data.

Brochure: https://www.reynaers.com/resource/35932/download

WINDOWS:

Reynaers SlimLine 68

Excellence in comfort

SlimLine 68 outward-opening windows are known for their ultra-slim aluminium profiles. The well-balanced solution is perfect for renovation, retaining the original daylight, but increasing weather resistance and insulation. Can be combined with SlimLine 38 doors.









Product options

Personalise SlimLine 68 with the following options

Concealed Hinges
The details are the design, concealed hinges are the finishing touch

Concealed Drainage
No more plastic cover caps, enjoy those clean lines

WINDOWS:

Reynaers MasterLine 8

Crafted for masters

MasterLine 8 can do it all. The high-quality aluminium window series offers reliable performance, versatile design options, and a wide range of functional applications. Enjoy excellent results, even in the toughest weather conditions.











Product options

Personalise MasterLine 8 with the following options

Concealed Hinges
The details are the design, concealed hinges are the finishing touch

Concealed Drainage
No more plastic cover caps, enjoy those clean lines

Flyscreen
Enjoy cool summer evenings, without losing sleep

Balustrade
Safety can equal beauty


Motorised
Comfortable to use, even remotely

Glass Corner
Glass to glass connection without profiles obstructing the view

Clip on cover cap
Choose the look that fits your project.

WINDOWS:

Schüco AWS 75 SI



Improved thermal insulation, security and fabrication

The Schüco AWS 75.SI+ (Super Insulation) is a high-performance 75 mm aluminium window system optimized for energy-efficient building envelopes. Its modular design allows for versatile applications, including punched openings and ribbon windows, while integrating seamlessly with Schüco door, ventilation, and sun shading systems.

The system offers extensive design freedom through a wide range of opening types such as tilt/slide and pivot vents and various profile configurations. This flexibility allows architects to meet complex aesthetic and structural requirements without sacrificing the system's superior thermal insulation properties.

The Cradle-to-Cradle (C2C) Silver certified AWS 75.SI+ is engineered for sustainability. Its non-toxic, fully recyclable components ensure materials can be repurposed at the end of their lifecycle, making it a premier choice for circular economy projects.





FENSTERCRAFT ALUMINIUM

DOORS

SCHÜCO

Reynaers Aluminium

DOORS:

Reynaers SlimLine 38



Reynaers SlimLine 38 General

Ultra-slim and elegant design

"With SlimLine 38, you have always got a slender door solution at hand. The ultraslim system comes in multiple design variants and offers refined quality in every detail. Perfect for both minimalistic new-builds and renovation projects, the timeless steel look design blends perfectly with any architectural style.

Variants such as balcony doors or terrace doors with optional triple glazing and burglarproof performance (RC2 / PAS 24), help you reach today's safety and energy efficiency standards. In fact, SlimLine 38 is both an elegant and eco friendly system. Experience low-carbon, Cradle To Cradle® certified quality whenever you open or close this aluminium door solution."

SlimLine 38 Doors Options

Concealed drainage

Thanks to this concealed drainage solution, you no longer need plastic cover caps to hide drainage holes. As a result, you always enjoy clean lines, minimalistic design, and excellent performance as the water flows away.

Panic solution

In some public buildings, a quick and safe escape route should always be available. These doors are equipped with anti-panic technology to guarantee secure passage in dangerous situations.

Low threshold


By reducing the height of the threshold, you can offer clear access at all times. Limit tripping hazards while establishing a clean and attractive look for your door.

Zero threshold

Creating inviting entryways and exits without boundaries has never been easier. This elegantly hidden treshold solution is the ideal match for your wheelchair-friendly building project, even with continuous flooring.

SlimLine 38 Doors General

Possible vent sizes (mm)



*Max dimensions depend on multiple parameters including wind load requirements and glass type choice.

Possible vent weights (kg)




Turn door
130

Visible dimensions (mm)

Inward opening door

1	Min. frame width	38
2	Min. vent width	21
3	Frame depth	76 or 99
4	Vent depth	86
5	Glass thickness	Up to 55



Brochure: https://www.reynaers.com/resource/39984/download

DOORS:

Reynaers MasterLine 8





MasterLine Doors General

Door solutions for any occasion


"Choosing MasterLine means embracing optimal performance in every detail. Our flagship door system offers you high thermal levels, certified sustainable design, and life-long comfort in one easy-to-operate solution.

With the help of our complete range of design options and variants, you can make doors your own and create a clean, aesthetic look. From hidden hardware features to eye-catching opening types: the choice is yours.

Based on years of research and expertise, MasterLine is the safest and most durable door system within our range. The sturdy aluminium solution can even reach Passive House energy levels, which makes it ideal for your sustainable renovation projects or new-builds."

MasterLine Doors General

Possible vent sizes (mm)



*Max dimensions depend on multiple parameters including wind load requirements and glass type choice.

Possible vent weights (kg)



Hinged door	Pivot door	Pivot XL door
250	200	500

Visible dimensions (mm)

Inward opening door


1	Min. frame width	42.5
2	Min. vent width	104.5
3	Frame depth	77
4	Vent depth	77
5	Glass thickness	Up to 62



Brochure: https://www.reynaers.com/resource/41318/download

DOORS:

Schüco AD UP 75



Universal use as heavily used commercial door and stylish entrance door

Excellent insulation properties combined with high stability – the Schüco AD UP 75 door system with a 75 mm basic depth offers high functional reliability for all requirements in luxury residential and commercial buildings.

With its groundbreaking construction principle and modular gasket system, the system sets new standards in thermal insulation, weathertightness, load-bearing capacity and durability for aluminium door systems. With a broad portfolio of fittings and design options, it allows stylish door solutions which meet every requirement for all areas of life and work. The door system is perfect for integration with door communication and access control systems.

Barrier-free requirements can also be met effectively and reliably for single and double-leaf doors thanks to the barrier-free, zero-level threshold in accordance with DIN 18040.





FENSTERCRAFT ALUMINIUM

PIVOT DOORS

Reynaers Aluminium

PIVOT DOORS:

Reynaers MasterLine 8



Unique pivoting entrance door at impressive dimensions

"Our flagship MasterLine 8 door system offers you high thermal levels, certified sustainable design, and life-long comfort in one easy-to-operate aluminium solution. Pivot doors make for excellent entrance ways, and are available as a regular size or impressive XL variant."







Product options

Personalise MasterLine 8 Pivot Door with the following options

Access Control
Making your home smart and connected

Concealed Drainage
No more plastic cover caps, enjoy those clean lines

Gutter
Better water performance, without adding thresholds

Low Threshold
Easy access, cleaner look

Softclose
Combines safety and comfort

Zero Threshold
Entrance without boundaries, even with continuous flooring.

The available options depend on size, profile combinations, hardware and infill choices. Please contact your Reynaers Aluminium representative.

More information: https://www.reynaers.com/products/doors/masterline-8/pivot-door

FENSTERCRAFT
ALUMINIUM

PANEL DOORS

Reynaers
Aluminium

PANEL DOORS:

Reynaers MasterLine 8



Sturdy yet stylish panel design in multiple variants

"Our flagship MasterLine 8 door system offers you high thermal levels, certified sustainable design, and life-long comfort in one easy-to-operate solution. Aluminium panel doors with optional looking glass are the perfect way to make a bold entrance in a variety of styles."

- Thermal Insulation
  Passive
  Uf = 1.4 W/m²K
  Ud = 1.0 W/m²K
- Air-Water-Wind
  High
  4 / 7A / C2
- System Dimensions
  Min. Frame-Vent Width 68.5 mm
  Depth Frame 77 mm
- Height Vent
  Max 3000 mm



Product options

Personalise MasterLine 8 Panel Door with the following options

Access Control
Making your home smart and connected

Anti-finger trap
Decreased risk in public places

Concealed Drainage
No more plastic cover caps, enjoy those clean lines

Concealed Hinges
The details are the design, concealed hinges are the finishing touch

Gutter
Better water performance, without adding thresholds

Low Threshold
Easy access, cleaner look

Panic
Tried and tested, for peace of mind.

Softclose
Combines safety and comfort

Zero Threshold
Entrance without boundaries, even with continuous flooring.

The available options depend on size, profile combinations, hardware and infill choices. Please contact your Reynaers Aluminium representative.

More information: https://www.reynaers.com/products/doors/masterline-8/panel-door

FENSTERCRAFT
ALUMINIUM

SLIDING DOORS

SCHÜCO

Reynaers Aluminium

CORTIZO

SLIDING DOORS:

Reynaers HiFinity



“The world is your wallpaper - extend your living room to the outside”

“Contemporary architecture attempts to create perfect harmony between living spaces and environment. Indoor and outdoor areas become one, visual boundaries disappear.

The Hi-Finity sliding door is specifically designed to create a visual extension to the outdoors, a sense of space and allow **maximum use of natural light.** Technical innovations have allowed Hi-Finity to combine minimalist design with maximum performance. This way the user can enjoy a maximum view with a high level of comfort.”







archiproducts DESIGN AWARDS — BEST of CATEGORY 2016

HENRY VAN DE VELDE LABEL 2013

Brochure: https://www.reynaers.com/resource/36047/download

SLIDING DOORS:

Reynaers HiFinity Magnetic Slider

Smooth manual operation of vents up to 600kg

"HiFinity's elegant design creates seemingly endless transparent surfaces with a minimalist look. The Magnetic Slider variant helps you manually operate triple glass vents up to 600kg thanks to an innovative magnetic rail solution. Experience the perfect blend of cutting-edge technology and user-friendly design."







More information: https://www.reynaers.com/products/sliding-folding/hifinity/magnetic-slider

SLIDING DOORS:

Reynaers MasterPatio

Crafted by Masters

MasterPatio is the aluminium sliding system of choice for all our partners and customers. Superior insulation and recycled components make this premium aluminium solution an ideal sustainability upgrade for any building project.









Product options

Personalise MasterPatio with the following options

Concealed Drainage
No more plastic cover caps, enjoy those clean lines

Gutter
Better water performance, without adding thresholds

Low Threshold
Easy access, cleaner look

Flyscreen
Enjoy cool summer evenings, without losing sleep

Balustrade
Safety can equal beauty

Motorised
Comfortable to use, even remotely

Access Control
Making your home smart and connected

Slim Chicane
Increasing the transparency of the window where it is most visible.

Zero Threshold
Entrance without boundaries, even with continuous flooring.

Softclose
Combines safety and comfort

SLIDING DOORS:

Reynaers Comfort Motorisation

HiFinity Concealed slide motor | HiFinity Electric lock (062.8262.--) | MasterPatio Concealed lift & slide motor | MasterPatio Concealed slide motor | Element controller Synchronisation

HiFinity Concealed slide motor

HiFinity is a premium system, only produced by certified fabricators. The concealed slide motor allows you to open vents with the push of a button, or by connecting the motor to your home automation system.

HiFinity Electric lock (062.8262.--)

HiFinity with an electric lock creates a secure and care-free environment where you do not have to worry about uninvited guests.

The sliding door features a robust bolt, operated locally by a button or via your Smart Home or Building Management System. It can also be unlocked from outside with one of our integrated Access Control solutions. Additionally, the integrated alarm feedback helps ensure full peace of mind.

MasterPatio Concealed lift & slide motor

MasterPatio is perfectly aligned with our MasterLine windows and doors to inspire beautiful and completely customisable façade solutions. The timeless and durable design always matches your taste and personality, as the ultimate expression of masterful living comfort.

Element controller Synchronisation

The Element Controller offers easy and fast installation to all supported opening types. Residents enjoy safe and easy control thanks to synchronising motors of single elements and integration options for Building Management Systems or Smart Home Solutions.



Brochure: https://www.reynaers.com/resource/41796/download

SLIDING DOORS:

Schüco ASE 80 HI

The latest generation of highly thermally insulated sliding and lift-and-slide systems

Barrier-free, very easy to use and a slimline appearance – the high-insulation Schüco ASE 80.HI (High Insulated) sliding and lift-and-slide system offers elegant design solutions for sustainable, user-oriented architecture to passive house level.



The modular and scalable aluminium profile system captivates with the reduced DesignLine interlock section of the vents, which allows the frame units to visually recede into the background.



The level threshold allows the inside and outside areas to transition into one another harmoniously and without barriers.

Concealed fittings components reinforce the puristic and high-quality design, even when open.




A further benefit of the new generation of sliding and lift-and-slide systems is its high flexibility in terms of configuration to suit any user. Options such as the Schüco SmartStop and Schüco SmartClose security and comfort technology ensure the best handling possible.

SLIDING DOORS:

Schüco Panorama Design Sliding System AS PD 75.HI **Performance Line**

Schüco AS PD 75.HI - Offers individuality without complexity

"The Schüco Panorama Design sliding door AS PD 75.HI brings together the features of multifunctionality and style in various product lines, without sacrificing their individuality. The technical performance features of all the lines are all at the highest level. Additional features such as the integration of sun shading mean that there is a wide choice of configurations for the Panorama Design sliding door. In addition to the standard opening types, the sliding units can be configured as desired and tailored to the requirements of the particular façade design."






More information: https://www.schueco.com/lt/architektams/gaminiai/slankiosios-sistemos/panorama-design-sliding-systems/as-pd-75-hi-performance-line#Accordion-mediaGallery

SLIDING DOORS:

Schüco Panorama Design Sliding System AS PD 75.HI **Design Line**

Schüco AS PD 75.HI - Offers individuality without complexity

"The Schüco Panorama Design sliding door AS PD 75.HI brings together the features of multifunctionality and style in various product lines, without sacrificing their individuality. The technical performance features of all the lines are all at the highest level. Additional features such as the integration of sun shading mean that there is a wide choice of configurations for the Panorama Design sliding door. In addition to the standard opening types, the sliding units can be configured as desired and tailored to the requirements of the particular façade design."




More information: https://www.schueco.com/lt/architektams/gaminiai/slankiosios-sistemos/panorama-design-sliding-systems/as-pd-75-hi-design-line

SLIDING DOORS:

Cortizo Cor Vision Plus

Maximum dimensions with an attractive minimalistic design according to last architectural trends

- Possibility of hiding sash and frame
- Larger glazing capacity (up to 54 mm.)
- Central interlock (only 25 mm.)
- Large Dimensions (up to 4.000 mm. height or width)





More information: https://www.corvisionplus.com/index_en.php

SLIDING DOORS:

Cortizo Vision Evolution Sliding

"The new version of the Cor Vision sliding system enhances its minimalism thanks to a closing mechanism that allows the sashes to be fully embedded within the frame, opening the way to infinite views interrupted only by a 25 mm central junction. The new COR Vision Evolution locking system has been designed to achieve total concealment of the sashes behind the frame, activating the opening and closing of the window with a smooth semicircular movement."




Sections
Frame 160 mm / 248 mm triple track / 336 mm four-track
Side section 62 mm
Central junction 25 mm

Glazing
Max. 44 mm, Min. 28 mm

Maximum sash dimensions
Width (L) 3500 mm, Height (H) 3500 mm

Maximum sash weight
500 kg

Consult maximum weight and dimensions according to typology



More information:
https://www.cortizo.com/en/sistemas/ver/183/cor-vision-evolution-sliding.html

FENSTERCRAFT
ALUMINIUM

FOLDING DOORS

SCHÜCO

Reynaers
Aluminium

FOLDING DOORS:

Reynaers CF68 and CF77

The CF68 and CF77 are both aluminum bifolding doors from Reynaers, each designed for different needs

CF68:

- Slimmer frames and thinner profiles.
- Suitable for standard-size openings with larger glass sizes.
- Ideal for most residential applications.



CF77:

- Designed for larger door sizes and more design flexibility.
- Offers a thicker sightline and is suitable for commercial installations.
- Provides excellent thermal performance and is ideal for larger spaces.







FOLDING DOORS:

Schüco Folding Sliding System AS FD 75 / 90.HI

With extremely slim face widths and excellent thermal insulation, the Schüco AS FD 75 / 90.HI folding sliding systems really stands out.

"An extensive selection of opening and locking types allow individual design with a high degree of planning freedom.

3 different threshold types, including a flat threshold with great rollover capacity, make the system adaptable to many installation situations.


An optional side-hung door enables quick passage, while an integrated magnetic retaining catch ensures secure opening and closing of the folding sliding unit.

The system now offers a higher level of security, meeting burglar resistance class RC 2.

The improved sealing concept with two continuous gasket levels offers greater watertightness and air permeability values for all opening types."







More information:
https://www.schueco.com/lt/architektams/gaminiai/slankiosios-sistemos/folding-slide-systems/as-fd-90-hi#Accordion-mediaGallery

FENSTERCRAFT ALUMINIUM

FAÇADE SYSTEMS

SCHÜCO

Reynaers Aluminium

FAÇADE SYSTEMS

Reynaers SlimWall 35

Minimalistic design and creative freedom

"SlimWall 35 is a slender stick façade system that combines elegant aesthetics with patent-pending technology and Passive House certified performance up to two floors high. Create wide-open views that last a lifetime."



Product options

Personalise SlimWall 35 with the following options


Free form
Create unique 3D faceted surfaces.

Solar Shading
Options for passive cooling.

Clip on cover cap
Choose the look that fits your project.

Concealed Drainage
No more plastic cover caps, enjoy those clean lines





More information: https://www.reynaers.com/products/facades/slimwall-35
Brochure: https://www.reynaers.com/resource/35763/download

FAÇADE SYSTEMS


Reynaers ConceptWall 50 HI

High Insulation

ConceptWall 50 is a curtain wall façade and roof system that offers incredible building speed, unlimited design freedom and exceptional performance. The stick façade's highly insulated variants achieve energy efficiency up to Passive House levels.









Product options

Personalise ConceptWall 50 High Insulation with the following options

Concealed Drainage
No more plastic cover caps, enjoy those clean lines

Glass Corner
Glass to glass connection without profiles obstructing the view

Inclined
Also enables angled walls.

Roof
Application for roofs.

Clip on cover cap
Choose the look that fits your project.

Solar Shading
Options for passive cooling.

FAÇADE SYSTEMS


Schüco FWS 50

High-performance mullion/transom façade with 50 mm face width – the basis for a variety of solutions

The Schüco FWS 50 is a premier mullion/transom façade system that balances architectural flexibility with streamlined installation. Featuring a slim 50 mm face width, it provides a clean, modern aesthetic for both vertical façades and expansive skylight areas.

The system offers extensive design freedom through a wide array of pressure plates and cover caps. It is engineered for total compatibility, allowing for the effortless integration of Schüco's window, door, and sliding systems. Additionally, it features integrated spandrel safety barriers that blend into the profile, ensuring safety for floor-to-ceiling openings without disrupting the building's visual lines.

The FWS 50 includes system-optimized components for the reliable integration of electrical systems, facilitating the automation of sun shading and door installations.



This model has earned the Cradle to Cradle Certified™ Silver label, affirming its high recyclability, low toxin content, and overall contribution to sustainable construction.




FAÇADE SYSTEMS

Schüco Seamless

Visually seamless transition between façade and sliding system

"Schüco FWS 35 PD Panorama Design façade system. Slimline 35 mm face width of the mullion profiles can be retained.

As a special benefit for architects and specifiers, the Schüco FWS 35 PD Panorama Design façade offers a system-integrated solution for designing all-glass corners in the corner areas of buildings without vertical mullion profiles, for architecture flooded with light, with excellent visuals and with maximum transparency to meet the most stringent requirements for high-end residential and commercial projects."



- Narrow face widths without visible insert outer frames and coupling profiles
- Continuous building structure attachment system: simple and reliable installation on site
- Two types of outer frame for the sliding system guarantee design freedom
- Easy combination of the different vent and outer frame profiles means it is possible to respond very flexibly to customer requests
- Minimalist design of the handles and coupling profiles




More information:
https://www.schueco.com/lt/architektams/gaminiai/fasadai/mullion-transom-facades/seamless#Accordion-mediaGallery

FAÇADE SYSTEMS

Schüco FWS 35 PD

Panorama Design façade with integrated solution for all-glass corners without profiles

"Architecture flooded with light and with maximum transparency, without compromise: the Schüco FWS 35 PD (Panorama Design) façade system offers a system-integrated solution, which allows for all-glass corners without vertical mullion profiles. The result is representative Panorama Design façades with a first-class visual appearance and an ideal view to the outside, which meet the highest requirements in high-end residential and commercial construction.





The system platform for the mullion/transom façade provides an enhanced range of accessories with a high degree of fabrication reliability, e.g. visually discreet attachment components for Schüco sun shading systems and tested burglar resistance solutions.



Combining different Schüco Panorama Design systems enables the complete seamless integration concept for the whole building envelope. Seamless stands for the concealed connection of Panorama Design constructions. The Schüco ASS 77 PD sliding door system is integrated in the Schüco FWS 35 PD mullion/transom façade system for an even profile transition with no offset. Both systems have extremely narrow profile face widths, but also achieve a high level of thermal insulation up to passive house level."








More information:
https://www.schueco.com/lt/architektams/gaminiai/fasadai/mullion-transom-facades/fws35pd#Accordion-mediaGallery

FENSTERCRAFT
ALUMINIUM

FINISHES

FINISHES

RAL, Anodised, Pre-anodisation



Click a color on these websites to try it:
https://schueco.bonomat.com/color_groups?locale=en

https://www.cortizo.com/en/sistemas/ver/110/powder-coating.html

*These colours are orientative and may present some difference due to chromatic variations of screen calibration.

PAS 24

REYNAERS

Windows - Masterline 8 window range - UL Mark - PAS 24 2022
Windows - SL 38 window range - UL Mark - PAS 24 2022
Windows - SL 38 window range open in - UL Mark - PAS 24 2022
Windows - CS door range - open out - UL Mark - PAS 24 2022

Doors - CF 77 Bi-fold door system - UL Mark - PAS 24 2022
Doors - CF 68 Bi-fold door system - UL Mark - PAS 24 2022
Doors - CP 155 inline sliding door system - UL Mark - PAS 24 2022
Doors - CP 155 lift and slide door system - UL Mark - PAS 24 2022
Doors - CP 130 inline sliding door system - UL Mark PAS24 2022
Doors - CP 130 lift and slide door system - UL Mark - PAS 24 2022
Doors - Masterline 8 door range - open in - UL Mark - PAS 24 2022
Doors - HiFinity - Sliding door system - UL Mark - PAS 24 2022
Doors - HiFinity HFP - Sliding door system - UL Mark - PAS 24 2022
Doors - Masterline 8 door range - open out - UL Mark - PAS 24 2022
Doors - Masterline 10 door range - open in - UL Mark - PAS 24 2022
Doors - Masterline 10 window range - UL Mark - PAS 24 2022
Doors - Masterpatio L&S door system - UL Mark - PAS 24 2022
Doors - Masterpatio sliding door system - UL Mark - PAS 24 2022
Doors - Masterpatio sliding door system - UL Mark - PAS 24 2022

CORTIZO

Unfortunately, we can't offer PAS24 for now, however, this is being reviewed and the situation may change.

SCHÜCO

ADS 65 Doors Schuco PAS24 2022
ADS 70 Doors Schuco PAS24 2022
AD UP 75 Doors Schuco PAS24 2022
ADS 75 Doors Schuco PAS24 2022
AD UP 90 Doors Schuco PAS24 2022
ASE Range of Sliding Doorsets PAS24 2022
AS 70 FD Folding Sliding Doorset Schüco PAS 24 2022
AS FD Range of Folding Sliding Doorsets PAS24 2022
AWS Range Windows Schuco PAS24 2022



17 Clarges str., London, UK

Fenstercraft Aluminium
Email: info@fenstercraftalu.lt
Address: Zietelos str. 3, Vilnius, Lithuania

Darius Kareiva | Managing Director
Phone: +370 698 13128
Email: darius@fenstercraftalu.lt

Viktorija Likė | Sales Team Lead
Phone: +370 604 57353
Email: sales@fenstercraftalu.lt

2026 | Vilnius, Lithuania

FENSTERCRAFT ALUMINIUM